· ·	2007/03/01 : CIA-RDP78T05929A002000040020-3  P SECRET	:
(c) NATIONAL PH	OTOGRAPHIC INTERPRETATION CENTER	
	Attachment to  28 August 19 Page 1  Copy 1	] : 966
REFERENCE: SARY-SH	LAUNCH COMPLEX B LAGAN ANTIMISSILE TEST CENTER, USSR	:
1. SIGNIFICANCE:	A GALOSH CANISTER AND A PROBABLE GALOSH  CANISTER ARE OBSERVED IN THE ERECTORS AT  LAUNCH POSITIONS B-4 AND C-1 RESPECTIVELY.  GALOSH ERECTOR ARMS ARE NOW OBSERVED AT  LAUNCH POSITION C-2.	
2. REMARKS:	THE GALOSH MISSILE WAS FIRST OBSERVED IN THE 7 NOV 64 MOSCOW PARADE AND DESCRIBED BY THE SOVIETS AS AN ANTIMISSILE DEFENSE WEAPON.	
3. LOCATION:	40 NM WEST OF SARY-SHAGAN AIRFIELD.	
5. FIRST IDENTIFICATION:		
These notes have been prepared for be should be restricted to the particular bri porting period as indicated by the date Division, NPIC.	NONE  riefing purposes only and should not be used for detailed analytical work. Their use efing board(s) they were prepared for and must be considered valid only for the reof issue. For information concerning these notes contact Chief, Collateral Support	

Approved For Release 2007/03/01: CIA-RDP78T05929A002000040020-3

TOP SECRET  (c) NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER  Attachment to  28 August 196 Page 2  7. SUBSEQUENT COVERAGE: 27 KH-4 AND 5 KH-7 MISSIONS.  8. DIMENSIONS/ SPECIFICATIONS: GALOSH CANISTER: (BASED ON PARADE PHOTOGRAPHY)	25 25 6
Attachment to  28 August 196 Page 2  7. SUBSEQUENT COVERAGE: 27 KH-4 AND 5 KH-7 MISSIONS.  8. DIMENSIONS	l .
28 August 196 Page 2  7. SUBSEQUENT COVERAGE: 27 KH-4 AND 5 KH-7 MISSIONS.  8. DIMENSIONS	l .
8. DIMENSIONS/	
· · · · · · · · · · · · · · · · · · ·	25
LENGTH:	∠3
DIAMETER DIAMETER AND LAUNCH POSTETON R. J.	
GALOSH CANISTER AT LAUNCH POSITION B-4:	25
LENGTH (INCLUDES PRIME MOVER):	25 25
WIDTH:	∠5
PROBABLE GALOSH CANISTER AT LAUNCH POSITION C-1:	<b>.</b> =
LENGTH:	25
AZIMUTH: 275 DEGREES	
ERECTOR ARMS AT LAUNCH POSITION C-2:	25
9. MISSION READOUT:	
FACILITY "A" - A POSSIBLE MOBILE ERECTOR/CRANE REMAINS PARKED IN SE CORNER	
OF THE AREA. NO CHANGE IN FACILITIES.	
FACILITY "B" - NO CHANGE IN FACILITIES. A PIECE OF UNIDENTIFIED EQUIPMENT	
IS PARKED ON EAST EDGE OF LAUNCH PAD B-2.	
A GALOSH CANISTER IS IN THE PASS-THROUGH ERECTOR AT LAUNCH POSITION B-4.	
ONE END OF THE CANISTER IS FLUSH WITH THE EAST SIDE OF THE ERECTOR. IT	
EXTENDS THROUGH THE ERECTOR AND A PRIME MOVER IS ATTACHED TO THE WEST END	
OF THE CANISTER. OVERALL LENGTH OF CANISTER AND PRIME MOVER IS	25
These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue. For information concerning these notes contact Chief, Collateral Support Division, NPIC.	OF
	25

Approved For Release 2007/03/01: CIA-RDP78T05929A002000040020-3

TOP SECRET  (c) NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER  Attachment to 28 August 1966 Page 3  AND WIDTH OF CANISTER IS 25  FACILITY "C" (TRIAD AREA) - A PROBABLE GALOSH CANISTER IS ERECTED AT A  LOW ANGLE OF ELEVATION (PROBABLY LESS THAN 30 DEGREES) IN THE ERECTOR AT
Attachment to 28 August 1966 Page 3  AND WIDTH OF CANISTER IS  FACILITY "C" (TRIAD AREA) - A PROBABLE GALOSH CANISTER IS ERECTED AT A
ARTTACHMENT TO 28 August 1966 Page 3  AND WIDTH OF CANISTER IS 25  FACILITY "C" (TRIAD AREA) - A PROBABLE GALOSH CANISTER IS ERECTED AT A
FACILITY "C" (TRIAD AREA) - A PROBABLE GALOSH CANISTER IS ERECTED AT A
LOW ANGLE OF ELEVATION (PROBABLY LESS THAN 30 DEGREES) IN THE ERECTOR AT
LOW PROTECT OF PERSONNELLED TO THE PERSONNELLE
LAUNCH POSITION C-1. OVERALL LENGTH IS THE RAISED END IS ON 25
AN AZIMUTH OF 275 DEGREES. AT LAUNCH POSITION C-2 GALOSH ERECTOR ARMS
ARE NOW OBSERVED BUT THE LAUNCH PAD DOES NOT APPEAR COMPLETE. THE
ERECTOR ARMS ARE SIMILAR TO THOSE AT LAUNCH POSITIONS B-3, B-4, AND C-1
AND ARE PERPENDICULAR TO THE SERVICE ROAD PASSING THROUGH THE POSITION.
EACH ERECTOR ARM IS AT TRIAD BUILDING "A", THE LARGE CRANE 25
IS NOT PRESENT. THE TWO SMALL CRANES WHICH SERVED TRIAD BUILDINGS "B"
AND "C" HAVE BEEN DISMANTLED. THE LARGEST TWO OF THE THREE SUPPORT-TYPE
BUILDINGS LOCATED SOUTH OF THE TRIAD SECURITY FENCE ARE NOW 80% DIS-
MANTLED.
25

These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue. For information concerning these notes contact Chief, Collateral Support Division, NPIC.

TOP SECRET

25X1

25**%**1

25X1

25X1 25X1 REPRODUCTION OF THIS DOCUMENT IN WHOLE OR IN PART IS PROHIBITED EXCEPT WITH THE PERMISSION OF THE OFFICE OF ORIGIN.